

WORKPLACE & STORAGE EQUIPMENTS 7.1

hyna

Smart working space

7.1



Extensive range

Introduction

"Design creates Culture. Culture shapes Values. Values determine the future."


KGR FABTEK a 25 year old fabrication Company conceptualizes the philosophy of sustainability in terms of design, and manufacturing modular furniture. HYNA is the brand name of KGR Fabtek. Our highly automated factory of 50,000 square feet is located in Chennai, Tamil Nadu, India. We are a family of 150 skilled and highly trained proficient manpower. We have state of the art technology and machinery in our factories. We take pride to state that our products are designed and manufactured under stringent quality checks. Customization is our forte. We meet all the requirements of our clients from design to installation.

Ongoing Innovation

Since it is ongoing, we remain committed to innovation and the constant search for new solutions to our customers requirement . Our engineers design, develop and thoroughly test every new solution to make sure it will work flawlessly in your facility.

Technical Expertise

Hyna's knowledge and technical expertise go beyond the products we sell. We understand best management practices, environmental concerns and the challenges that industrial facilities face every day. More than just a manufacturer of goods, we're here to help keep India's workplaces clean and safe.





Machineries



At KGR FABTEK, we are equipped with cutting-edge technology and advanced machinery that enable us to manufacture high-quality products with precision and consistency. Our modern production setup ensures efficient processes, reduced lead times, and the ability to meet tight delivery schedules. This technological edge allows us to maintain superior quality standards while delivering products to our customers swiftly, ensuring both satisfaction and reliability.



Salvagnini P2 panel bender with a variety of evolving options,



Bystronic sheet laser cutting machine



Tube laser cutting machine



Muratec Turret punching machine




Panasonic robotic welding machine



CNC Bending machine From 40 ton to 220 ton and 1500mm to 4000mm

INDEX

SMALL PARTS STORAGE SYSTEM.....	06
PHARMA +	11
HIGH DENSITY STORAGE CABINET	13
EURO HOOKS	15
MOBISTO TOOLS TROLLEY	16
HSC STORAGE CABINET	18
TUFF CABINET	19
NC TOOL HOLDER SYSTEM	25
UTILITY TROLLEY	29
UNIFLEX TROLLEY	31
WORK TOP	38
WORK MODE	39
WORK PRO	43
WORK FLEXA	46
HEXAWORKBENCH	51
OFFICE CUPBOARD	53
STAFF LOCKER	57
LIBRARY RACK	62



Storage cabinet

- 0.7mm CRCA formed sheet metal construction
- Completely knock down design
- 2 point locking mechanism with 2 keys
- Zero side edge design allows you to open the doors up to 180 degree
- 4mm toughened glass doors are available
- Epoxy polyester powder coated cabinet
- Galvanized shelves
- Load capacity: 30 kg UDL / Shelf
- All shelves are height adjustable and removable

Pull out bins

- Available in two different sizes (J-70 , J-105)
- Material: ABS (Acrylonitrile Butadiene Styrene)
- Transparent front plate: PS (Polystyrene)
- Supplied with 2 Partitions
- Max possible partition: 5 slots available
- Load capacity: (J-70 : 4 kg) (J-105: 6 kg)



ART No	J-70
W163 D290 H70	
4kg	




ART No	J-105
W160 D375 H105 mm	
6kg	

SPC | Small Parts Storage cabinet



90 Bins Cabinet



ART No LD-90 S

90 Bins cabinet with steel doors
W880 D376 H1800 mm
Minimum Order Quantity is 10 Nos



ART No LD-90 G


90 Bins cabinet with glass doors
W880 D376 H1800 mm



ART No LD-90 E

90 Bins cabinet
W880 D376 H1800 mm

65 Bins Cabinet




ART No HD-65 S

65 Bins cabinet with steel doors
W858 D480 H1790 mm
Minimum Order Quantity is 10 Nos




ART No HD-65 G

65 Bins cabinet with glass doors
W858 D480 H1790 mm




ART No HD-65 E

65 Bins cabinet
W858 D480 H1790 mm



40 Bins Cabinet




ART No LD-40 S

40 Bins cabinet with steel doors
W880 D376 H880 mm
Minimum Order Quantity is 10 Nos



ART No LD-40 G

40 Bins cabinet with glass doors
W880 D376 H880 mm



ART No LD-40 E

40 Bins cabinet
W880 D376 H880 mm

60 Bins Cabinet




ART No LD-60 S

60 Bins cabinet with steel doors
W880 D376 H1248 mm
Minimum Order Quantity is 10 Nos




ART No LD-60 G

60 Bins cabinet with glass doors
W880 D376 H1248 mm




ART No LD-60 E

60 Bins cabinet
W880 D376 H1248 mm



30 Bins Cabinet




ART No HD-30 S

30 Bins cabinet with steel doors
W858 D480 H900 mm
Minimum Order Quantity is 10 Nos



ART No HD-30 G

30 Bins cabinet with glass doors
W858 D480 H900 mm



ART No HD-30 E

30 Bins cabinet
W858 D480 H900 mm

45 Bins Cabinet




ART No HD-45 S

45 Bins cabinet with steel doors
W858 D480 H1280 mm
Minimum Order Quantity is 10 Nos




ART No HD-45 G

45 Bins cabinet with glass doors
W858 D480 H1280 mm




ART No HD-45 E

45 Bins cabinet
W858 D480 H1280 mm




ART NO	DESCRIPTION	DIM	SUITABLE FOR
ST-LDC5	STAND LDC5	W880 D376 H125	LD-90, LD-60, LD-40
ST-HDC5	STAND HDC5	W858 D480 H125	HD-65, HD-45, HD-30




PHARMA +

hyna





ART No	PH-30
30 Bins cabinet W857 D472 H825 mm	




ART No	PH-SL09
Sliding door cabinet W857 D472 H850 mm 2 Height adjustable shelves	



ART No	PH-ST
Pharma Stand W855 D472 H125 mm	

HDS | High Density Storage Cabinets



Blue bin

ART NO: HD 403-B

- Outer Dim: W146 D415 H110 mm
- Effective height: 105mm
- Colour : Bin - Blue, Partition - Black



ESD Bin

ART NO: HD 403-ESD



- Outer Dim: W146 D415 H110 mm
- Effective height: 105mm
- Made from conductive poly propylene
- Colour : Bin - Black, Partition - Black



Transparent Bin

ART NO: HD 403-T

- Outer Dim: W146 D415 H110 mm
- Effective height: 105mm
- Colour : Bin & Partition - Transparent




ART No | HDSC-B-72 E

72 Blue Bin cabinet
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf



ART No | HDSC-B-72 G

72 Blue Bin cabinet with glass doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf




ART No | HDSC-B-72 S

72 Blue Bin cabinet with steel doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf



ART No	HDSC-ESD-72 E
--------	---------------

72 ESD Bin cabinet
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf



ART No	HDSC-ESD-72 G
--------	---------------

72 ESD Bin cabinet with glass doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf




ART No	HDSC-ESD-72 S
--------	---------------

72 ESD Bin cabinet with steel doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf




ART No	HDSC-T-72 E
--------	-------------

72 Transparent Bin cabinet
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf



ART No	HDSC-T-72 G
--------	-------------

72 Transparent Bin cabinet with glass doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf




ART No	HDSC-T-72 S
--------	-------------

72 Transparent Bin cabinet with steel doors
W960 D470 H2100 mm
Bin Size : W146 D415 H110mm
60kg Per Shelf

Plastic Hooks



ART No PBA-P01
Hook 25mm



ART No PBA-P02
Hook 50mm



ART No PBA-P03
Screw driver hook



ART No PBA-P04
Wrench Holder

Steel Hooks



ART No PBA-S01
Suspension hook



ART No PBA-S02
Universal Hook




ART No PBA-S03
Double hook



ART No PBA-S04
Plier hook



ART No PBA-S05
Closed hook



ART No PBA-S06
Screw driver holder



ART No PBA-S07
Drill bit holder



ART No PBA-S08
Allen key holder



ART No	MD6
--------	-----

6 Drawer tools trolley
 W720 D475 H950mm
 Front Height 75x1, 100x3, 150x2
 Load capacity is 30 kg / Drawer
 Ø125mm PU Wheel
 Trolley total load capacity is 500 kg
 Central locking system with 2 keys
 Color: Cabinet 7037 & Drawers 7016



ART No	MD7
--------	-----

7 Drawer tools trolley
 W720 D475 H950mm
 Front Height 75x3, 100x3, 150x1
 Load capacity is 30 kg / Drawer
 Ø125mm PU Wheel
 Trolley total load capacity is 500 kg
 Central locking system with 2 keys





ART No MD6-TS

6 Drawer tools trolley with cupboard
 W1020 D475 H950mm
 Front Height 75x1, 100x3, 150x2
 Load capacity is 30 kg / Drawer
 Door width - 450mm
 1 Adjustable shelf - 50 kg
 Ø125mm PU Wheel
 Trolley total load capacity is 500 kg
 Central locking system with 2 keys
 Color: Cabinet 7037 & Drawers 7016



ART No MD7-TS

7 Drawer tools trolley with cupboard
 W1020 D475 H950mm
 Front Height 75x3, 100x3, 150x1
 Load capacity is 30 kg / Drawer
 Door width - 450mm
 1 Adjustable shelf - 50 kg
 Ø125mm PU Wheel
 Trolley total load capacity is 500 kg
 Central locking system with 2 keys
 Color: Cabinet 7037 & Drawers 7016

Other colors



7035 & 7016



PO Red



Black



ART No SC-E

Storage cabinet
W900 D400 H1925 mm
90kg Per Shelf



ART No SC-G

Storage cabinet with glass doors
W900 D400 H1925 mm
90kg Per Shelf



ART No SC-S

Storage cabinet with steel doors
W900 D400 H1925 mm
90kg Per Shelf



ART No BS1-E

Storage cabinet with Bins
W900 D400 H1925 mm
24 Bin 45 (348 L x 210 W x 200 H)



ART No BS1-G

Storage cabinet with Bins
W900 D400 H1925 mm
24 Bin 45 (348 L x 210 W x 200 H)



ART No BS1-S

Storage cabinet with Bins
W900 D400 H1925 mm
24 Bin 45 (348 L x 210 W x 200 H)



ART No	TFS - A4
--------	----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
4 Adjustable shelves - 125kg



ART No	TFG - A4
--------	----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Toughened glass doors
4 Adjustable shelves - 125kg



ART No	TFS-A3-D3
--------	-----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
3 Adjustable shelves - 125 kg
3 Drawers H100mm - 60 kg



ART No	TFS-D4P4-D3
--------	-------------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors with full perforated panels
4 Back perforated panels
3 Drawers H100mm - 60 kg



ART No	TFS-A1-D9
--------	-----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
1 Adjustable shelves - 125 kg
9 Drawers H100mm - 60 kg



ART No	TFS-A3-D2
--------	-----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
3 Adjustable shelves - 125 kg
2 Drawers H100mm - 60 kg



ART No	TFS-A3-D1
--------	-----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
3 Adjustable shelves - 125 kg
1 Drawers H100mm - 60 kg



ART No	TFS-D4P6
--------	----------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors with full perforated panels
6 Back perforated panels



ART No	TFS-A7-SB6
--------	------------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
7 Adjustable shelves - 125 kg
40 SB6 Bins (440 L x 180 W x 145 H) - blue



ART No	TFS-AS9-B30-B15
--------	-----------------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
9 Short depth adjustable shelves - 100 kg
20 Door bin rails - 10 kg
60 Bin ARTB-30 (274 L x 140 W x 127 H)
60 Bin 15 (201 L x 125 W x 101 H) on doors



ART No	TFS-A3-AS4-B3040-B15
--------	----------------------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
3 Adjustable shelves - 125 kg
4 Short depth adjustable shelves - 100 kg
10 Door bin rails - 10 kg
16 Bin ARTB-40 (375 L x 210 W x 179 H)
24 Bin ARTB-30 (274 L x 140 W x 127 H)
30 Bin 15 (201 L x 125 W x 101 H) on doors



ART No	TFS-A3-P3-B5515
--------	-----------------

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
2 Steel doors
3 Adjustable shelves - 125 kg
3 Back perforated panels
10 Door bin rails - 10 kg
9 Bin 55 (510 L x 310 W x 200 H)
30 Bin 15 (201 L x 125 W x 101 H) on doors



ART No TFS-A1-AS1-P2-D2-B4515

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
 2 Steel doors
 1 Adjustable shelves - 125 kg
 1 Short depth adjustable shelves - 100 kg
 2 Back perforated panels
 2 Drawers H100mm - 60 kg
 4 Door bin rails - 10 kg
 4 Bin 45 (348 L x 210 W x 200 H)
 12 Bin 15 (201 L x 125 W x 101 H) on doors



ART No TFS-A1-AS3-D3-B4515

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
 2 Steel doors
 1 Adjustable shelves - 125 kg
 3 Short depth adjustable shelves - 100 kg
 3 Drawers H100mm - 60 kg
 10 Door bin rails - 10 kg
 16 Bin 45 (348 L x 210 W x 200 H)
 30 Bin 15 (201 L x 125 W x 101 H) on doors



ART No TFS-A2-P3-D3-B15

W1005 D585 H2005 mm (Height 2125mm Inc Stand)
 2 Steel doors
 2 Adjustable shelves - 125 kg
 3 Back perforated panels
 3 Drawers H100mm - 60 kg
 10 Door bin rails - 10 kg
 30 Bin 15 (201 L x 125 W x 101 H) on doors



ART No TFS-A3-AS2-D3-B554515


W1005 D585 H2005 mm (Height 2125mm Inc Stand)
 2 Steel doors
 3 Adjustable shelves - 125 kg
 2 Short depth adjustable shelves - 100 kg
 10 Door bin rails - 10 kg
 9 Bin 55 (510 L x 310 W x 200 H)
 12 Bin 45 (348 L x 210 W x 200 H)
 30 Bin 15 (201 L x 125 W x 101 H) on doors



ART No	TF-E
--------	------


W1005 D585 H2005 mm
(Height 2125mm Inc Stand)

Empty cabinet




ART No	TF-SD
--------	-------

Pair of steel doors




ART No	TF-GD
--------	-------


Pair of Glass doors



ART No	Description
TF-A-PC	W955 D510 H35 mm Adjustable shelf 125 kg Mild steel - Powder coated
TF-AS-PC	W955 D330 H35 mm Short depth adjustable shelf 100 kg Mild steel - Powder coated




ART No	Description
TF-A-GI	W955 D510 H35 mm Adjustable shelf 125 kg Galvanized Iron - GI
TF-AS-GI	W955 D330 H35 mm Short depth adjustable shelf 100 kg Galvanized Iron - GI



ART No	TF-DP
--------	-------

W340 H800 mm
Door perforated panel



ART No	TF-BP
--------	-------

W953 H300 mm
Back perforated panel





ART No	TF-R
--------	------

L 440 mm
Door Bin rail



TUFF | Heavy Duty Storage Cabinets





ART No TF-DR-PL
TUFF Plain Drawer H100






ART No TF-DR-P2
Partitions - 3Rx2C



ART No TF-DR-P4
Partitions - 3Rx4C



ART No TF-DR-P8
Partitions - 3Rx8C



ART No TF-DR-PV
Vertical partition
Drawer front height 100mm
Galvanized steel - GI



ART No	Description
TF-DR-PH-430	Horizontal partition L430 Galvanized steel - GI
TF-DR-PH-215	Horizontal partition L215 Galvanized steel - GI
TF-DR-PH-105	Horizontal partition L105 Galvanized steel - GI

Tool Holders

- ☐ Made of ABS, resistant to impact and mineral oils.
- ☐ They are fixed to the frame with screws to improve stability during spindle handling.



ART No BT 30-R

OD62 H40 mm
Top - ø32.5mm Bottom - ø22mm



ART No BT 40-R

OD80 H52mm
Top - ø46mm Bottom - ø31mm




ART No HSK 50-R

OD68 H30 mm
ID 37mm




ART No HSK 63-R

OD80 H36mm
ID 46mm




ART No BT 30

L140 W50 H50 mm
Top - ø32.5mm Bottom - ø19mm




ART No BT 40

L140 W65 H65 mm
Top - ø45mm Bottom - ø27mm




ART No BT 50

L140 W104 H692 mm
Top - ø70mm Bottom - ø46mm




ART No HSK 50

L140 W50 H26 mm
Top - ø37.5mm Bottom - ø36mm




ART No HSK 63

L140 W65 H34 mm
Top - ø48mm Bottom - ø46mm



ART No HSK 100


L140 W104 H49 mm
Top - ø75mm Bottom - ø72mm





ART No	TFS-NC4
--------	---------

W1005 D585 H2005 mm
2 Steel doors
4 TUFF NC tool holder shelves - 125 kg (**ART:TF-NCR3**)
Tool holders not included



Tool holder quantity per shelf

BT 30 - 45 Nos	HSK 50 - 45 Nos
BT 40 - 40 Nos	HSK 63 - 40 Nos
BT 50 - 24 Nos	HSK 100 - 24 Nos

ART No	TF-NCR3
--------	---------

W930 D480 H72.5 mm
TUFF NC Tool holder shelf - 125 kg




ART No	NC-TR-01
--------	----------

W1160 D530 H1000 mm
ART: NC-ACR3 3 Row tool carrier - 1 No
ART: NC-ACR1 1 Row tool carrier - 4 Nos
Tool holders not included



ART No	NC-TR-02
--------	----------

W1160 D530 H1000 mm
ART: NC-ACR3 3 Row tool carrier - 1 No
ART: NC-ACR1 1 Row tool carrier - 2 Nos
Tool holders not included




ART No	NC-R3
--------	-------

W640 D465 H52 mm
3 Row tool carrier - 150 kg

Tool holder quantity per shelf

BT 30 - 30 Nos	HSK 50 - 30 Nos
BT 40 - 21 Nos	HSK 63 - 21 Nos
BT 50 - 15 Nos	HSK 100 - 15 Nos



ART No	NC-R1
--------	-------

W645 D163 H195mm
1 Row tool carrier - 50 kg

Tool holder quantity per shelf

BT 30 - 10 Nos	HSK 50 - 10 Nos
BT 40 - 7 Nos	HSK 63 - 7 Nos
BT 50 - 5 Nos	HSK 100 - 5 Nos



ART No NC4063-L1

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 24 Nos
Suitable for BT40 & HSK 63 R [Tool holders Not included]



ART No NC3050-L1

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 35 Nos
Suitable for BT30 & HSK 50 R [Tool holders Not included]



ART No NC4063-L2

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 48 Nos
(Top 24 Nos & Bottom 12+12 Nos)
Suitable for BT40 & HSK 63 R [Tool holders Not included]



ART No NC3050-L2

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 75 Nos
(Top 35 Nos & Bottom 20+20 Nos)
Suitable for BT30 & HSK 50 R [Tool holders Not included]



ART No NC4063-L3

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 72 Nos
(Top 24 Nos, Mid 12+12 Nos & Bottom 12+12 Nos)
Suitable for BT40 & HSK 63 R [Tool holders Not included]



ART No NC3050-L3

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 115 Nos
(Top 35 Nos, Mid 20+20 Nos & Bottom 20+20 Nos)
Suitable for BT30 & HSK 50 R [Tool holders Not included]



ART No	NC4063-S
--------	----------

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 24 Nos
1 Mid shelf W645 D410 H40mm - 50 kg
Suitable for BT40 & HSK 63 R [Tool holders Not included]



ART No	NC3050-S
--------	----------

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 35 Nos
1 Mid shelf W645 D410 H40mm - 50 kg
Suitable for BT30 & HSK 50 R [Tool holders Not included]




ART No	NC4063-2D
--------	-----------

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 24 Nos
2 drawers H100 (Usable height 85mm)
Suitable for BT40 & HSK 63 R [Tool holders Not included]



ART No	NC3050-2D
--------	-----------

W790 D412 H875 mm (Inc. Wheel and Handle)
No of tool holder slots : 35 Nos
2 drawers H100 (Usable height 85mm)
Suitable for BT30 & HSK 50 R [Tool holders Not included]



UTILITY TROLLEY | Transport system



ART No PNT-02

W790 D412 H875 mm (Inc. Wheel and Handle)
2 Levels - 25kg / Level



ART No PNT-03

W790 D412 H875 mm (Inc. Wheel and Handle)
3 Levels - 25kg / Level



ART No PNT-B20

W790 D412 H875 mm (Inc. Wheel and Handle)
20 Bins (**ART No: J-105**)




ART No PNT-B08

W790 D412 H875 mm (Inc. Wheel and Handle)
8 Bins (**ART No: J-105**)



ART No PNT-2D

W790 D412 H875 mm (Inc. Wheel and Handle)
2 drawers H100 (Usable height 85mm)



* Not sold separately

ART No J-105

W160 D375 H105mm
2 Dividers

UTILITY TROLLEY | Transport system



ART No	UT-02
--------	-------

Overall dim. W1110 D615 H970mm
Panel dim. W1005 D605 H60mm
2 Levels - 50kg / shelf



ART No	UT-03
--------	-------

Overall dim. W1110 D615 H970mm
Panel dim. W1005 D605 H60mm
3 Levels - 50kg / Shelf



ART No	UT-R
--------	------

W1000 D600 T3mm
Suitable for UT Series trollies



ART No	PNT-R
--------	-------

W636 D407 T3mm
Suitable for PNT Series trollies




All indicated loads are net and refer to evenly distributed weights



hyna

UniFlex Trolley





Single face trolley



Double face trolley



All indicated loads are net and refer to evenly distributed weights



ART No UF-SF-BS 15

W1000 D535 H1835 mm
98 Nos - Bin 15 (W125 D201 H101 mm)



ART No UF-SF-BS 25

W1000 D535 H1835 mm
60 Nos - Bin 25 (W150 D229 H126 mm)



ART No UF-SF-BS 35

W1000 D535 H1835 mm
32 Nos - Bin 35 (W208 D300 H158 mm)



ART No UF-SF-C1

W1000 D535 H1835 mm
42 Nos - Bin 15 (W125 D201 H101 mm)
36 Nos - Bin 25 (W150 D229 H126 mm)



ART No UF-SF-C2

W1000 D535 H1835 mm
27 Nos - Bin 05 (W102 D168 H74 mm)
21 Nos - Bin 15 (W125 D201 H101 mm)
18 Nos - Bin 25 (W150 D229 H126 mm)
8 Nos - Bin 35 (W208 D300 H158 mm)




ART No UF-SF-SH C2

W1000 D535 H1835 mm
3 Fixed shelf D165mm | Bin 05 - 27 Nos
3 Fixed shelf D225mm | Bin 15 - 21 Nos
2 Tilttable shelf D225mm | Bin 25 - 18 Nos
2 Tilttable shelf D325mm | Bin 35 - 8 Nos



All indicated loads are net and refer to evenly distributed weights



ART No UF-DF-BS 15

W1000 D810 H1835 mm
196 Nos - Bin 15 (W125 D201 H101 mm)




ART No UF-DF-BS 25

W1000 D810 H1835 mm
120 Nos - Bin 25 (W150 D229 H126 mm)



ART No UF-DF-BS 35

W1000 D810 H1835 mm
64 Nos - Bin 35 (W208 D300 H158 mm)



ART No UF-DF-C1

W1000 D810 H1835 mm
84 Nos - Bin 15 (W125 D201 H101 mm)
72 Nos - Bin 25 (W150 D229 H126 mm)



ART No UF-DF-C2

W1000 D810 H1835 mm
54 Nos - Bin 05 (W102 D168 H74 mm)
42 Nos - Bin 15 (W125 D201 H101 mm)
36 Nos - Bin 25 (W150 D229 H126 mm)
16 Nos - Bin 35 (W208 D300 H158 mm)



ART No UF-DF-SH C2

W1000 D810 H1835 mm
6 Fixed shelf D165mm | Bin 05 - 54 Nos
6 Fixed shelf D225mm | Bin 15 - 42 Nos
4 Tilttable shelf D225mm | Bin 25 - 36 Nos
4 Tilttable shelf D325mm | Bin 35 - 16 Nos



All indicated loads are net and refer to evenly distributed weights



ART No UF-SF-P5

W1000 D535 H1835 mm
5 Perforated panels H300 mm



ART No UF-SF-P3-TS

W1000 D535 H1835 mm
3 Perforated panels H300 mm
1 Tilttable shelf D225mm
1 Tilttable shelf D325mm




ART No UF-SF-P2-TSC

W1000 D535 H1835 mm
2 Perforated panels H300 mm
3 Tilttable shelf D225mm | Bin 25 - 18 Nos
2 Tilttable shelf D325mm | Bin 35 - 8 Nos



ART No UF-DF-P10

W1000 D810 H1835 mm
10 Perforated panels H300 mm



ART No UF-DF-P6-TS

W1000 D810 H1835 mm
6 Perforated panels H300 mm
2 Tilttable shelf D225mm
2 Tilttable shelf D325mm




ART No UF-DF-P4-TSC

W1000 D810 H1835 mm
4 Perforated panels H300 mm
6 Tilttable shelf D225mm | Bin 25 - 36 Nos
2 Tilttable shelf D325mm | Bin 35 - 16 Nos




All indicated loads are net and refer to evenly distributed weights



ART No	Description
UF-SF-W	SF UniFlex system with wheels W1000 D535 H1835mm 150 kg
UF-SF-E	SF UniFlex system with levelers (Without wheels) W1000 D535 H1710mm 150kg



ART No	UF-SF-BT
SF Bottom tray 20kg W920 D405 H45	




ART No	Description
UF-SF-W	DF UniFlex system with wheels W1000 D810 H1835mm 300kg (150 kg / Side)
UF-SF-E	DF UniFlex system with levelers (Without wheels) W1000 D810 H1710mm 300kg (150 kg / Side)



ART No	UF-SF-BT
SF Bottom tray 20kg W920 D800 H45	




ART No	UF-BR
UniFlex Bin rail (Without Bins) 20kg L970 mm	




ART No	UF-PF
UniFlex Perforated panel L950 H304 mm	




All indicated loads are net and refer to evenly distributed weights




ART No	UF-FX165
Fixed shelf D165 L955 D165 mm	



ART No	UF-FX225
Fixed shelf D225 L955 D225 mm	




ART No	UF-SH225
Tiltable shelf D225 L950 D225 mm	



ART No	UF-SH325
Tiltable shelf 325 L950 D325 mm	



All indicated loads are net and refer to evenly distributed weights





Material
MDF HMR Grade worktop Both Side Laminated Side covered with 2mm PVC Edge band



Material
Marine / BWR grade plywood Both Side Laminated Side covered with 2mm PVC Edge band



Material
Pine wood work top Completely finished with varnish



Material
Teak wood work top Completely finished with varnish

WORK MODE | Heavy Duty Workbench

hyna



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25-BS	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25-BS	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35-BS	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35-BS	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25-BS	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25-BS	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35-BS	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35-BS	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1
Bottom Shelf	1



All indicated loads are net and refer to evenly distributed weights

WORK MODE | Heavy Duty Workbench

hyna



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25-DR1	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25-DR1	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35-DR1	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35-DR1	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25-DR1	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25-DR1	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35-DR1	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35-DR1	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1
1 Drawer cabinet 1xH150mm (Usable height 135mm)	1



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25-BS-DR1	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25-BS-DR1	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35-BS-DR1	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35-BS-DR1	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25-BS-DR1	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25-BS-DR1	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35-BS-DR1	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35-BS-DR1	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1
Bottom Shelf	1
1 Drawer cabinet 1xH150mm (Usable height 135mm)	1



All indicated loads are net and refer to evenly distributed weights

WORK MODE | Heavy Duty Workbench

hyna



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25-DR3	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25-DR3	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35-DR3	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35-DR3	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25-DR3	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25-DR3	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35-DR3	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35-DR3	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1
3 Drawer cabinet 2xH75MM (Usable height 60 mm) 1xH150mm (Usable height 135mm)	1



ART No	W mm	D mm	H mm	Worktop Thk	Load
WM1560-M25-BS-DR3	1500	600	825	25mm (MDF HMR)	500 kg
WM1580-M25-BS-DR3	1500	800	825	25mm (MDF HMR)	500 kg
WM1560-M35-BS-DR3	1500	600	835	35mm (MDF HMR)	1000kg
WM1580-M35-BS-DR3	1500	800	835	35mm (MDF HMR)	1000 kg
WM1860-M25-BS-DR3	1800	600	825	25mm (MDF HMR)	500 kg
WM1880-M25-BS-DR3	1800	800	825	25mm (MDF HMR)	500 kg
WM1860-M35-BS-DR3	1800	600	835	35mm (MDF HMR)	1000 kg
WM1880-M35-BS-DR3	1800	800	835	35mm (MDF HMR)	1000 kg

Consist of	Qty
Understructure	1
MDF HMR Grade Work top	1
Bottom Shelf	1
3 Drawer cabinet 2xH75MM (Usable height 60 mm) 1xH150mm (Usable height 135mm)	1



All indicated loads are net and refer to evenly distributed weights



ART No	W mm	D mm	H mm
WM1560-US	1500	600	800
WM1580-US	1500	800	800
WM1860-US	1800	600	800
WM1880-US	1800	800	800



ART No	W mm	D mm	H mm
WM1560-US-BS	1500	600	800
WM1580-US-BS	1500	800	800
WM1860-US-BS	1800	600	800
WM1880-US-BS	1800	800	800



ART No	WM-DR1
W503 D467 H200mm 1X150mm Drawer (Usable height 135mm) 20kg / Drawer	



ART No	WM-DR2
W503 D467 H200mm 1X75mm Drawer (Usable height 60mm) 1X150mm Drawer (Usable height 135mm) 20kg / Drawer	



ART No	WM-DR3
W503 D467 H200mm 2X75mm Drawer (Usable height 60mm) 1X150mm Drawer (Usable height 135mm) 20kg / Drawer	



All indicated loads are net and refer to evenly distributed weights



ART No	W mm	D mm	H mm	Load
WP1570-DR5	1500	700	825	1000 kg
WP1870-DR5	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 1 Nos - 5 Drawer cabinet W560 D650 H785 mm
- No of drawers / Cabinet - 200x1, 150x2, 100x2 (60 kg Per drawer)



ART No	W mm	D mm	H mm	Load
WP1570-DR2C	1500	700	825	1000 kg
WP1870-DR2C	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 1 Nos - 2 Drawer & Cupboard cabinet W560 D650 H785 mm
- No of drawers / Cabinet - 100x2 (60 kg Per drawer)



ART No	W mm	D mm	H mm	Load
WP1570-CF	1500	700	825	1000 kg
WP1870-CF	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 1 Nos - Cupboard cabinet with shelf W560 D650 H785 mm



All indicated loads are net and refer to evenly distributed weights



ART No	W mm	D mm	H mm	Load
WP1570-2DR5	1500	700	825	1000 kg
WP1870-2DR5	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 2 Nos - 5 Drawer cabinet W560 D650 H785 mm
No of drawers / Cabinet - 200x1, 150x2, 100x2 (60 kg Per drawer)



ART No	W mm	D mm	H mm	Load
WP1570-D5-DR2C	1500	700	825	1000 kg
WP1870-D5-DR2C	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 1 Nos - 5 Drawer cabinet W560 D650 H785 mm
No of drawers / Cabinet 200x1, 150x2, 100x2 (60 kg Per drawer)
- 1 Nos - 2 Drawer & Cupboard cabinet W560 D650 H785 mm
No of drawers / Cabinet - 100x2 (60 kg Per drawer)



ART No	W mm	D mm	H mm	Load
WP1570-DR5-CF	1500	700	825	1000 kg
WP1870-DR5-CF	1800	700	825	1000 kg

Consist of

- 1 Nos - Understructure
- 1 Nos - 35mm MDF HMR Laminated worktop
- 1 Nos - 5 Drawer cabinet W560 D650 H785 mm
No of drawers / Cabinet 200x1, 150x2, 100x2 (60 kg Per drawer)
- 1 Nos - Cupboard cabinet with shelf W560 D650 H785 mm



All indicated loads are net and refer to evenly distributed weights



ART No	WPC-DR5
--------	---------

5 Drawer cabinet
W560 D650 H785 mm
No of drawers 200x1, 150x2, 100x2
60 kg Per drawer



ART No	WPC-DR2C
--------	----------

2 Drawer & Cupboard cabinet
W560 D650 H785 mm
No of drawers 100x2 - 60 kg Per drawer
Half cupboard with door and lock



ART No	WPC-CF
--------	--------

Cupboard cabinet
W560 D650 H785 mm
Full cupboard with door and lock
1 Adjustable shelf - 50 kg



All indicated loads are net and refer to evenly distributed weights

WORK FLEXA | Flexible Workbench

hyna





ART No	W mm	D mm	H mm	Load
WF1870-DR5-DR2-MH	1800	700	800~1020	1000 kg

Consist of	Qty
Understructure (Adjustable legs)	1
MDF HMR Grade Work top 35mm	1
5 Drawer cabinet W560 D650 H585 125x1, 100x3, 75x1 (60 kg / Drawer)	1
4 Drawer cabinet W560 D650 H585 150x2, 100x2, (60 kg / Drawer)	1
Half mid shelves with back panel - 25 kg / Level	1



ART No	W mm	D mm	H mm	Load
WF1870-DR5-C-MH	1800	700	800~1020	1000 kg

Consist of	Qty
Understructure (Adjustable legs)	1
MDF HMR Grade Work top 35mm	1
5 Drawer cabinet W560 D650 H585 125x1, 100x3, 75x1 (60 kg / Drawer)	1
Cupboard cabinet W560 D650 H585 1 adjustable shelf—50 kg	1
Half mid shelves with back panel - 25 kg / Level	1



ART No	W mm	D mm	H mm	Load
WF1870-2C-MF	1800	700	800~1020	1000 kg

Consist of	Qty
Understructure (Adjustable legs)	1
MDF HMR Grade Work top 35mm	1
Cupboard cabinet W560 D650 H585 1 adjustable shelf—50 kg	2
Full mid shelves with back panel - 25 kg / Level	1



All indicated loads are net and refer to evenly distributed weights



ART No	W mm	D mm	H mm	Load
WF13570-DR5-DR2-MH	1350	700	800~1020	1000 kg

Consist of	Qty
Understructure (Adjustable legs)	1
MDF HMR Grade Work top 35mm	1
5 Drawer cabinet W560 D650 H585 125x1, 100x3, 75x1 (60 kg / Drawer)	1
4 Drawer cabinet W560 D650 H585 150x2, 100x2, (60 kg / Drawer)	1



ART No	W mm	D mm	H mm	Load
WF13570-DR5-DR2-MH	1350	700	800~1020	1000 kg

Consist of	Qty
Understructure (Adjustable legs)	1
MDF HMR Grade Work top 35mm	1
5 Drawer cabinet W560 D650 H585 125x1, 100x3, 75x1 (60 kg / Drawer)	1
Cupboard cabinet W560 D650 H585 1 adjustable shelf—50 kg	1






ART No	WFC-DR4
--------	---------

4 Drawer cabinet
W560 D650 H585 mm
No of drawers 150x2, 100x2
60 kg Per drawer



ART No	WFC-DR5
--------	---------

5 Drawer cabinet
W560 D650 H585 mm
No of drawers 125x1, 100x3, 75x1
60 kg Per drawer



ART No	WFC-CF
--------	--------

Cupboard cabinet
W560 D650 H585 mm
Door and lock with 2 keys
1 Adjustable shelf - 50 kg



ART No	WFC-CFE
--------	---------

Cupboard cabinet
W560 D650 H585 mm
1 Adjustable shelf - 50 kg



ART No	WF-MH
--------	-------

Mid half shelves with back panel
W470 D350mm
25 kg / Level



ART No	WFC-MF
--------	--------

Mid half shelves with back panel
W470 D625mm
25 kg / Level



All indicated loads are net and refer to evenly distributed weights

hyna

HEXA WORKBENCH



Hexa Workbench

The space saving hexagonal workbenches are ideal as group workstation and training stations.

The large worktop has sub-structured with 6 drawer units



ART NO: WB HEXA

Cabinet—6 Units

Size: 577W x 600D x 800H mm

Rigid welded construction

5 drawers with 30 kg load capacity


Combi locking system with 2 keys for each cabinets

Work top

40 | 50 mm MDF Board with high moisture resistance quality

BSL with cherry and white finish

Edges are finely closed PVC tape



All indicated loads are net and refer to evenly distributed weights

hyna

OFFICE CUPBOARDS





ART No	HC-2D
--------	-------

W900 D400 H1800 mm
Minimum order quantity is 10 Nos



ART No	HC-2C
--------	-------

W900 D400 H1800 mm
Minimum order quantity is 10 Nos



ART No	HC-2CG
--------	--------

W900 D400 H1800 mm
Minimum order quantity is 10 Nos



ART No	HC-2CS
--------	--------

W900 D400 H1800 mm
Minimum order quantity is 10 Nos



ART No	HC-G18
--------	--------

W900 D400 H1800 mm



ART No	HC-S18
--------	--------

W900 D400 H1800 mm



ART No	HC-G12
--------	--------

W900 D400 H1200 mm
Minimum order quantity is 10 Nos



ART No	HC-S12
--------	--------

W900 D400 H1200 mm
Minimum order quantity 10 is Nos



ART No	SL-G18
--------	--------

W900 D400 H1800 mm



ART No	SL-S18
--------	--------

W900 D400 H1800 mm
Minimum order quantity is 10 Nos



ART No	SL-G12
--------	--------

W900 D400 H1200 mm
Minimum order quantity is 10 Nos



ART No	SL-S12
--------	--------

W900 D400 H1200 mm
Minimum order quantity 10 is Nos



ART No HC-GHD30

W858 D480 H900 mm



ART No HC-SHD30

W858 D480 H900 mm
Minimum order quantity 10 is Nos



ART No SL-GPH09

W857 D472 H850 mm



ART No SL-SPH09

W857 D472 H850 mm
Minimum order quantity 10 is Nos




- Specification**
- 0.7mm CRCA formed sheet metal construction
 - Completely knock down design
 - Premium locks with 2 keys
 - Shelves load capacity : 50 kg UDL
 - 4mm toughened glasses used in door
 - Epoxy polyester powder coated finish

NOVE | Staff Locker

hyna





Numerical lock type
(4 Digit)

Cam Lock type
(5000 Combinations)

Pad lockable type
(Lock Customer scope)

1. Sloping roof



A



B.

HYNA Personal lockers can be supplied with a Flat roof (A) or a Sloping roof (B). The sloping roof easier to clean and is recommended in environments with very demanding hygiene requirements

2. Lock



A



B.



C.

A - Numerical 4 digit combination lock
B - Cylindrical cam lock cum handle supplied with 2 keys
C- Pad lockable door knob (lock not included)


3. Stand feet



Hanger pipe



Mid Shelf




Stand feet
Sold separately

3 DOOR LOCKER



INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOORS	DOOR SIZE	LOCK TYPE
LC-P-3	900x400x1800 H	3 DOORS	W280 H1690	PAD LOCKABLE
LC-C-3	900x400x1800 H	3 DOORS	W280 H1690	CAM LOCK
LC-N-3	900x400x1800 H	3 DOORS	W280 H1690	NUMERICAL LOCK

- * Pad lock is customer / user scope
- * MOQ - 5 Nos

6 DOOR LOCKER



INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOORS	DOOR SIZE	LOCK TYPE
LC-P-6	900x400x1800 H	6 DOORS	W280 H830	PAD LOCKABLE
LC-C-6	900x400x1800 H	6 DOORS	W280 H830	CAM LOCK
LC-N-6	900x400x1800 H	6 DOORS	W280 H830	NUMERICAL LOCK

- * Pad lock is customer / user scope
- * MOQ - 5 Nos

9 DOOR LOCKER




INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOOR	DOOR SIZE	LOCK TYPE
LC-P-9	900x400x1800 H	9 DOORS	W280 H543	PAD LOCKABLE
LC-C-9	900x400x1800 H	9 DOORS	W280 H543	CAM LOCK
LC-N-9	900x400x1800 H	9 DOORS	W280 H543	NUMERICAL LOCK

- * Pad lock is customer / user scope
- * MOQ - 5 Nos

12 DOOR LOCKER




INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOORS	DOOR SIZE	LOCK TYPE
LC-P-12	900x400x1800 H	12 DOORS	W280 H400	PAD LOCKABLE
LC-C-12	900x400x1800 H	12 DOORS	W280 H400	CAM LOCK
LC-N-12	900x400x1800 H	12 DOORS	W280 H400	NUMERICAL LOCK

- * Pad lock is customer / user scope

15 DOOR LOCKER



INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOORS	DOOR SIZE	LOCK TYPE
LC-P-15	900x400x1800 H	15 DOORS	W280 H314	PAD LOCKABLE
LC-C-15	900x400x1800 H	15 DOORS	W280 H314	CAM LOCK
LC-N-15	900x400x1800 H	15 DOORS	W280 H314	NUMERICAL LOCK

* Pad lock is customer / user scope

18 DOOR LOCKER



INTERNAL USABLE SPACE




ART NO	DIM	NO OF DOOR	DOOR SIZE	LOCK TYPE
LC-P-18	900x400x1800 H	18 DOORS	W280 H257	PAD LOCKABLE
LC-C-18	900x400x1800 H	18 DOORS	W280 H257	CAM LOCK
LC-N-18	900x400x1800 H	18 DOORS	W280 H257	NUMERICAL LOCK

* Pad lock is customer / user scope

NOVE | Staff Locker



ART No	LC-A3
Locker stand W902 D400 H125mm (Inc leveler)	



ART No	LC-A2
Locker slope roof W905 D400 H150mm	


LIRA | Library Rack



Library shelving
Widely used in libraries and enterprise archives for efficient storage.
Made from 0.7mm cold-rolled steel for higher load capacity and durability.
Available with wooden side boards or wooden-finish steel panels.
Knock-down design; customizable to user needs. Freely adjustable shelves



hyna



KGR FABTEK

Unit 1 (Head Office & Plant 1):

No. 92/1, Samuel Nagar, Vadaperumbakkam, Madhava-
ram,
Chennai – 600060, Tamil Nadu, India.

Unit 2 (Plant 2):

No. 230/231, SIDCO Women's Industrial Park, Thirumul-
laivoyal,
Chennai – 600062, Tamil Nadu, India.

hynaindia@gmail.com
8939848430/33

www.hynaindia.com